

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Peneseal FH™ Concentrate
Manufacturer's Name: Penetron International, Ltd.
Street Address: 45 Research Way, Suite 203, East Setauket, New York 11733, USA
Emergency Telephone Number: +1 (631) 941-9700
Product Use: Reactive penetrating sealer.
Date of Preparation of the MSDS: 11/22/2006
Date of Last Revision of the MSDS: 3/3/2014

SECTION 2 - COMPOSITION INFORMATION

COMPONENT	CAS NUMBER	% BY WEIGHT
Silicic Acid, Sodium Salt	1344-09-8	30-50%
Blended Potassium Methyl Siliconates	N/A	

SECTION 3 - HAZARDS IDENTIFICATION

COMPONENT	EXPOSURE LIMIT	FORM
None		

NFPA Classification (0=Least, 1=Slight, 2=Moderate, 3=High, 4=Extreme):

Health = 1 Fire = 0 Reactivity = 0

HMIS CODES (0=Least, 1=Slight, 2=Moderate, 3=High, 4=Extreme):

Health = 1 Flammability = 0 Reactivity = 0

Potential Health Effects:

Inhalation: No information found, but compound should be handled as a potential health hazard. May cause irritation to the respiratory tract. Symptoms may include coughing, sore throat, labored breathing, and chest pain.

Ingestion: No information found, but compound should be handled as a potential health hazard. May cause irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting, and diarrhea.

Skin Contact: No information found, but compound should be handled as a potential health hazard. May cause irritation with redness and pain.

Eye Contact: No information found, but compound should be handled as a potential health hazard. May cause irritation, redness, and pain.

Chronic Exposure: No information found.

Aggravation of Pre-Existing Conditions: No information found.

SECTION 4 - FIRST AID PROCEDURES

Eye Contact: Immediately flush eyes with plenty of water for 15 minutes, lifting lower or upper eyelids occasionally. Obtain medical attention immediately.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Obtain medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Inhalation: Remove to fresh air. Give artificial respiration if not breathing. Give oxygen if breathing is difficult. Obtain medical attention.

Ingestion: Give large amounts of water to drink. Never give anything by mouth to an unconscious person. Obtain medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: Non-combustible.

Autoignition Temperature: N/A

Flammable Limits in Air: N/A

Extinguishing Media: Alcohol foam, water spray, dry chemical, carbon dioxide.

Extinguishing Media: to Avoid: None.

Special Fire Fighting Procedures: In the event of a fire, wear full protective clothing and NIOSH approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

“Empty” Container Warning: “Empty” containers retain residue (liquid and/or vapor) and can be dangerous. Do not attempt to clean since residue can be difficult to remove. “Empty” drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. All other containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. For work on tanks refer to OSHA, ANSI Z 49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other contemplated operations.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Large Spills: Evacuate the hazard area of unprotected personnel. Dike and contain with suitable absorbent. Shut off source of leak only if it is safe to do so. Do not allow to enter sewers or open waterways. Advise authorities if product has entered sewers, waterways, or extensive land areas.

Small Spills: Take up with absorbent materials such as sand or sawdust and place in non-leaking containers. Dispose of in accordance with all Federal, state, and local regulations.

SECTION 7 - HANDLING AND STORAGE

Handling: For industrial use only. Avoid skin and eye contact. Minimize breathing vapor or mist. Respiratory protection is required when ventilation is inadequate. Cleanse skin thoroughly after contact, before breaks and meals, and at the end of a work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Storage: Store in a cool, dry location and in accordance with good industrial practices. Keep containers closed when not in use.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Use local exhaust to capture vapor or mists if necessary. Local exhaust is preferred over general exhaust because it can control the emissions of the contaminant at its source, preventing dispersions into the general work area. Provide ventilation sufficient to prevent exceeding OSHA PELs.

Respiratory Protection: For emergencies, or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.

Skin Protection: Wear impervious protective clothing, including gloves, boots, lab coat, apron, or coveralls, as appropriate to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to hazy liquid.

Odor: Negligible.

Boiling Point: 100°C

Pour Point: 0°C

Vapor Pressure (mm Hg): N/A

Vapor Density (Air=1): N/A

Specific Gravity (H₂O = 1): 1.2

pH: 11.0-13.0

Solubility in Water: 100%

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability: Stable.

Conditions to Avoid: None.

Incompatible Materials: Contact with most metals causes formation of flammable and explosive hydrogen gas. Gels and generates heat when mixed with acid.

Hazardous Decomposition or By-Products: Hydrogen gas.

Hazardous Polymerization: Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

No LD50/LC50 information is available relating to normal routes of occupational exposure.

Eye Effects: May cause irritation, redness, and pain.

Skin Effects: May cause irritation with redness and pain.

Oral Effects: May cause irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting, and diarrhea.

Inhalation Effects: May cause irritation to the respiratory tract. Symptoms may include coughing, sore throat, labored breathing, and chest pain.

SECTION 12 - ECOLOGICAL INFORMATION

Environmental Fate: No information available.

Ecotoxicity: No information available.

Further Information: None.

SECTION 13 - DISPOSAL CONSIDERATIONS

When disposed of properly, this product does not meet RCRA classification or listing for hazardous waste. Dispose in accordance with all applicable Federal, state, provincial, and local environmental regulations. Empty containers should be recycled or disposed of through an approved waste management facility. Disposal methods identified are for the product as sold. For proper disposal of used material, an assessment must be completed to determine the proper and permissible waste management options permissible under applicable rules, regulations and/or laws governing your location.

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Label: Not regulated by the U.S. DOT.

Hazard Class: Not applicable.

SECTION 15 - REGULATORY INFORMATION

Federal/National: This product is not hazardous as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 (SARA), Title III (Emergency Planning and Community Right to Know Act), Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None

Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or are exempt from the TSCA Inventory requirements.

Penetron International, Ltd.
45 Research Way, Suite 203
East Setauket, NY 11733, USA
+1 (631) 941-9700
penetron.com
info@penetron.com